BBA

Bioenergetics
(including Reviews on Bioenergetics)
Vol. 1141, 1993

Cumulative Contents

Editorial vii

Information for Contributors ix

Review

The bacterial energy-transducing NADH-quinone oxidoreductases
T. Yagi (USA) 1

Regular Papers

Thermoluminescence emission at liquid helium temperatures from photosynthetic apparatus and purified pigments
T. Noguchi, Y. Inoue and K. Sonoike (Japan) 18

Excitation-energy quenching in aggregates of the LHC II chlorophyll-protein complex: a time-resolved fluorescence study
C.W. Mullineaux, A.A. Pascal, P. Horton and A.R. Holzwarth (Germany, UK) 23

The computed free energy change of hydrolysis of inorganic pyrophosphate and ATP: apparent significance for inorganic-pyrophosphate-driven reactions of intermediary metabolism
J.M. Davies, R.J. Poole and D. Sanders (Canada, UK) 29

Differential phosphorylation of individual LHC-II polypeptides during short-term and long-term acclimation to light regime in the green alga *Dunaliella salina*
M.A. Harrison and J.F. Allen (UK, Sweden) 37

Small subunits of Photosystem I reaction center complexes from *Synechococcus elongatus*. I. Is the *psaF* gene product required for oxidation of cytochrome *c*-553?
H. Hatanaka, K. Sonoike, M. Hirano and S. Katoh (Japan) 45

Small subunits of Photosystem I reaction center complexes from *Synechococcus elongatus*. II. The *psaE* gene product has a role to promote interaction between the terminal electron acceptor and ferredoxin
K. Sonoike, H. Hatanaka and S. Katoh (Japan) 52

Control of oxidative phosphorylation in rat muscle mitochondria: implications for mitochondrial myopathies
T. Letellier, M. Malgat and J.-P. Mazat (France) 58

Developmental changes in the respiratory chain of *Ascaris* mitochondria
S. Takamiya, K. Kita, H. Wang, P.P. Weinstein, A. Hiraishi, H. Oya and T. Aoki (Japan, USA) 65

The *Azotobacter chroococcum* nitrate permease is a multicomponent system
M.C. Muñoz-Centeno, F.J. Cejudo, M.T. Ruiz and A. Paneque (Spain) 75

Skeletal muscle mitochondrial β-oxidation of dicarboxylates
M. Pourfarzam and K. Bartlett (UK) 81

Relationships between age-dependent changes in the effect of almitrine on H^+-ATPase/ATPsynthase and the pattern of membrane fatty acid composition
M. Jumelle-Laclau, M. Rigoulet, N. Averet, X. Leverve, L. Dubourg, A. Carbonneau, M. Clerc and B. Guerin (France) 90

Reactions of the membrane-bound cytochrome *bo* terminal oxidase of *Escherichia coli* with carbon monoxide and oxygen
B. Bolgiano, I. Salmon and R.K. Poole (UK) 95

Rapid Reports

Large-scale preparation of pure plastocyanin from spinach
L.Z. Morand and D.W. Krogmann (USA) 105

Purification of a rotenone-insensitive NAD(P)H dehydrogenase from the inner surface of the inner membrane of red beetroot mitochondria
A.G. Rasmusson, K.M. Fredlund and I.M. Møller (Sweden) 107

Reviews

Amplification and kinetics of the activation steps in phototransduction
E.N. Pugh, Jr. and T.D. Lamb (USA, UK) 111

Supramolecular membrane protein assemblies in photosynthesis and respiration
P. Joliot, A. Verméglio and A. Joliot (France) 151

continued

Regular Papers

Heterogeneity in Photosystem I – the larger antenna of Photosystem Iα is due to functional connection to a special pool of LHCII
E. Andreasson and P.-Å. Albertsson (Sweden) 175

The role of arginine in the conserved polar loop of the *c*-subunit of the *Escherichia coli* H^+-ATPase
L. Hatch, A.L. Fimmel and F. Gibson (Australia) 183

A light-dependent branching-reaction in the photocycle of the yellow protein from *Ectothiorhodospira halophila*
A. Miller, H. Leigeber, W.D. Hoff and K.J. Hellingwerf (Germany, The Netherlands) 190

Activation of the H^+-ATP synthase in thylakoid vesicles from the cyanobacterium *Synechococcus* 6716 by $\Delta\bar{\mu}_{H^+}$. Including a comparison with chloroplasts, and introducing a new method to calibrate light-induced $\Delta\bar{\mu}_{H^+}$
K. Krab, R.H.A. Bakels, M.J.C. Scholts and H.S. Van Walraven (The Netherlands) 197

The manganese stabilising protein (MSP) of *Prochlorothrix hollandica* is a hydrophobic membrane-bound protein
T.S. Mor, A.F. Post and I. Ohad (Israel) 206

Characterization of NAD(P)H-dependent ubiquinone reductase activities in rat liver microsomes
T. Shigemura, D. Kang, K. Nagata-Kuno, K. Takeshige and N. Hamasaki (Japan) 213

Analysis of anisotropic electron spin polarization in the photosynthetic bacterium *Rhodospirillum rubrum*. Evidence that the sign of the exchange interaction in the primary radical pair is positive
P.J. Hore, D.J. Riley, J.J. Semlyen, G. Zwanenburg and A.J. Hoff (UK, The Netherlands) 221

The lipophilic weak base (*Z*)-5-methyl-2-[2-(1-naphthyl)ethenyl]-4-piperidinopyridine (AU-1421) is a potent protonophore type cationic uncoupler of oxidative phosphorylation in mitochondria
H. Nagamune, Y. Fukushima, J. Takada, K. Yoshida, A. Unami, T. Shimooka and H. Terada (Japan) 231

Inhomogeneous spectral broadening of the B820 subunit form of LH1
R.W. Visschers, F. Van Mourik, R. Monshouwer and R. Van Grondelle (The Netherlands) 238

Cytochrome *P*-450 in liver microsomes of streptozotocin-induced diabetic rats: purification and characterization
A. Toda, S. Ogata, A. Nagamatsu and H. Shimeno (Japan) 245

Characterization of two low-potential cytochromes from bean sprouts
M. Hirasawa, K.-T. Chang, M.M. Dose, B.-S. Lou, M.R. Ondrias and D.B. Knaff (USA) 253

Kinetics of the mitochondrial NADH-ubiquinone oxidoreductase interaction with hexammineruthenium(III)
V.D. Sled and A.D. Vinogradov (Russia) 262

Characterization of betaine efflux from rat liver mitochondria
R.K. Porter, J.M. Scott and M.D. Brand (Ireland, UK) 269

Evidence for CN^- binding at the PS II non-heme Fe^{2+}. Effects on the EPR signal for $Q_A^-Fe^{2+}$ and on Q_A/Q_B electron transfer
D. Koulougliotis, T. Kostopoulos, V. Petrouleas and B.A. Diner (Greece, USA) 275

Purification and properties of cytochrome *bo*-type ubiquinol oxidase from a marine bacterium *Vibrio alginolyticus*
T. Miyoshi-Akiyama, M. Hayashi and T. Unemoto (Japan) 283

ATP-hydrolysis in chloroplasts: evidence for the participation of three ATP binding sites
A. Labahn and P. Gräber (Germany) 288

Luminescence of a bacterial luciferase intermediate by reaction with H_2O_2: the evolutionary origin of luciferase and source of endogenous light emission
H. Watanabe, T. Nagoshi and H. Inaba (Japan) 297

Substitution of lanthanides at the calcium site(s) in Photosystem II affects electron transport from tyrosine Z to $P680^+$
A. Bakou and D.F. Ghanotakis (Greece) 303

Chemokinesis in *Rhodobacter sphaeroides* is the result of a long term increase in the rate of flagellar rotation
S. Brown, P.S. Poole, W. Jeziorska and J.P. Armitage (UK) 309

Cyanide-insensitive oxygen uptake and pyridine nucleotide dehydrogenases in the cyanobacterium *Anabaena* PCC 7120
C.A. Howitt, G.D. Smith and D.A. Day (Australia) 313

Ligand-binding properties and heterogeneity of cytochrome *bo* from *Escherichia coli*
A.J. Moody, J.N. Rumbley, R.B. Gennis, W.J. Ingledew and P.R. Rich (UK, USA) 321

Cumulative Contents, Vol. 1141 331

Author Index 333

V
8
IS
B